

April 24, 2017

Avenger CMS User Guide



April 24, 2017

Firstly, open the Avenger CMS (Video Monitor Client) and choose the **Config** Button towards the top of the page. This will present you with the below screen:

🔄 Video Monitor Client								
Preview	Playback	Мар	TV wall	Log	Config	CPU:10% MEMORY:78%	Ser: ad	min
Right-click to add	devices and are	as				Right-click to add preview group node		Device Manage
VMS						General Group		
Access								
								Users Manage
								Linkage Config
					Remote Config)		
					->			
					<-			
					Up			
					Down			

Next, Right Click on VMS and choose Add Device (you will then see the below dialogue box)

Add Device	
Device Protocol	I8 Protocol
Device IP	Search
Port	
Device Name	
User	
Password	
Area Belong	VMS
	OK Cancel



April 24, 2017

Now fill out the box according to your settings. An example is shown below:

Add Device		_
Dovice Protocol		1
Device Protocol		ļ
Device IP	192.168.0.30	Search
Port	5050	
Device Name	Avenger	
User	admin	
Password		
Area Belong	VMS	
	OK Cancel	

Once you have entered the correct settings click **OK**.

Now this has been added you should now see something similar to the below screenshot:





Video Monitor

Avenger CMS User Guide

April 24, 2017

To add cameras to the live view simply click **Preview** then click and **drag each channel into a free space**. Or to view them all at once **Right Click** the NVR and choose **Open All Preview**.

Preview	Playback	Мар	TV wall	Log	Config	CPU:11% ME	MORY:68%	e Us	er: admin
Device List	er 01 02 03 04 05 06 07 06 07 10 11 12 13 14	el Group	Avenger-Greek C						
ବ୍ୟ ମ କୃତି ମ କୃତି ମ	15 16	•••							
PTZ Pr	eset Cruise - Zoc - Foc - Ap	Param om + cus + ert +							
Fan	Wiper	Light		B 🗲	•			2017-	04-24 13:11:07