



UNV Heat-Tracker series Body Temperature Measurement Solution & Products

03

Human Body Temperature Measurement Gate

Human Body Temperature Measurement Gate

For OPD-533TM


● Appearance




Human Body Temperature Measurement Gate

For OPD-533TM

• Metal Detection Function Show



18 Metal Detection Zones



Metal Detection Alarm Light

- Both the left and right panels have 6 sets of pinpoint LEDs for 18 detection zones, as shown in the figure.
- A detection zone LED is either on or off. When a metallic object is detected, a detection zone LED turns on and the alarm sounds.

Human Body Temperature Measurement Gate

For OPD-533TM

Product Highlights



Metal Detection & Temperature Measurement & Face Recognition

- Metal detection for 18 zones.
- 256 level of metal detection sensitivity.
- 1 - 2.5 cm, Non-contact body temperature measurement.
- Temperature measurement and people counting statistics.
- The temperature linkage with face capture.
- Face recognition rate: >99%

Human Body Temperature Measurement Gate

For OPD-533TM

○ Specifications

- Wrist temperature measurement
- **Metal detection sensitivity: 0-255 levels for each detection zone.**
- Measurement Deviation 0.3°C
- Measurement Accuracy 0.1°C
- Measurement Range 30°C~45°C
- Operating temperature 15°C to 30°C
- **Face information binds with temperature record.**



Scenario



Enterprise entrance:

office area, canteen, warehouse



Campus entrance:

teaching building, dormitory, library, canteen



Station entrance:

airport, metro line, seaport